

# steridor

The Key to Quality Composites

## GRP Hygienic Doors

### Applications:

- ◆ Pharmaceutical
- ◆ Food Industries
- ◆ Retail
- ◆ Health Care Sector
- ◆ Manufacturing
- ◆ Leisure Industry
- ◆ Education



Durable fiberglass

Styrofoam core

Stainless steel frames

Integral Color

Sterile

Chemical resistant



**Fiberglass Developments Ltd**

25-29 Mahinui Street  
PO Box 391  
Feilding 4740  
New Zealand

Phone: +64 6 323 0960  
Fax: +64 6 323 0973  
E-mail:  
[info@composites.co.nz](mailto:info@composites.co.nz)




Fiberglass  
Developments

# Why Use Steridor Doors???

- Lightweight, Strong, Durable  
& Low Maintenance
- 
- Water & Chemical resistance
  - Wont Warp, Swell, Rust or Rot
  - Seamless & Smooth Construction
  - Good Heat  
Insulation
  - Easily Cleaned  
Wont Harbor Bacteria



# Door Types



## Hinged Door


- ◆ GRP Seamless Molded
- ◆ Integral Color
- ◆ Single/Double Sizing
- ◆ Single Action
- ◆ Range of factory fitted hinges, vision panels & hardware.

## Sliding Door

- ◆ GRP Seamless Molded
- ◆ Integral Color
- ◆ Manual or Automatic
- ◆ Range of factory fitted hinges, vision panels & hardware.



# Doors Types



## Swing 2 way Door

- ◆ GRP Seamless Molded
- ◆ Integral Color
- ◆ Single/Double Sizing
- ◆ Double action swing
- ◆ Range of vision panels & hardware
- ◆ Self closing hinge system

## What we Can offer You!!

- ◆ Full Installation Service.
- ◆ Supply & install of all Hardware.
- ◆ Free consultation/quotation.
- ◆ Total Quality Management at every stage of manufacturing process.
- ◆ Full guarantee & warranty covering Construction & Manufacture.



# Product Specifications

## Standard fiberglass Door set

### Colours

Standard finish is a High Gloss white. Other colours are available on request.

### Thickness - Leaf Weight

The average thickness is around 42mm with the standard leaf weight around 16kg per m<sup>2</sup>.

### Standard Leaf Sizes

The following standard sizes are available:

**Leaf Height:** 1980mm

**Leaf Width:** 810, 860, 910 or 960mm

Non-standard sizes can be manufactured to customer's specific requirements

### Vision Panels

The following standard vision panel sizes are available with the standard leaf size

#### Doors Leaf

#### Width (mm)

Less than 810

810 or 860

910 or 960

#### Vision Panel

#### (H x W mm)

760 x 375

760 x 450

760 x 550 - (other sizes are possible)

Glazing retained by Ministry of Agriculture (NZ) approved sealant.

### Frames & Openings

Standard frame materials are stainless steel grade 1.60mm 304, up to 2.00mm 316, No4 (brushed) finish.

A given door size ordered rough openings are constructed to suit.

### Hardware & Hinges

A wide range of latch and handle sets are available, all supplied and fitted & sealed eliminating all crevices. Standard Hinge is flush mount. Push plates & Kick plates are also sealed to the leaf, other items can be requested



# The Steridor

Steridor hygiene doors have many strong advantages over traditional product and they are:

- ✧ *Robust & Durable*
- ✧ *Easily cleaned*
- ✧ *Seamless*
- ✧ *Easily repaired*
- ✧ *Good Heat Insulators*
- ✧ *Water resistant*
- ✧ *Fully Guaranteed*
- ✧ *Chemical resistant*
- ✧ *Low Maintenance*
- ✧ *Cost Effective*
- ✧ *Approved by Ministry of Agriculture (NZ) Quality Dairy*

## **Fibreglass Steri cabinet**

### Dimensions Spec:

1.7 metres high

1 metre wide

0.5 metres deep

### Attributes:

Durable fibreglass cupboard  
Plywood core  
Stainless steel hardware  
Shelves optional  
Sterile  
Chemical resistant



Fibreglass  
Developments